

Description	Tailles	Bouts
24001, H0 Märklin C, Butoir 0cm.	0	(103.95, 63.41, 30), 234.3°
24001, H0 Märklin C, Butoir 0cm.	0	(251.73, 123.58, 30), 54.3°
24001, H0 Märklin C, Butoir 0cm.	0	(256.26, 117.28, 30), 54.3°
24001, H0 Märklin C, Butoir 0cm.	0	(45.27, 49.65, 30), 264.3°
24001, H0 Märklin C, Butoir 0cm.	0	(45.31, 57.33, 30), 276.3°
24001, H0 Märklin C, Butoir 0cm.	0	(46.83, 42.12, 30), 252.3°
24001, H0 Märklin C, Butoir 0cm.	0	(46.95, 64.84, 30), 288.3°
24001, H0 Märklin C, Butoir 0cm.	0	(50.11, 71.85, 30), 300.3°
24001, H0 Märklin C, Butoir 0cm.	0	(50.51, 35.42, 30), 240.3°
24001, H0 Märklin C, Butoir 0cm.	0	(57.97, 32.03, 30), 228.3°
24064, H0 Märklin C, Rail droit 6.43cm.	6.43	(118.12, 50.58, 30), 54.3° (123.34, 54.33, 30), 234.3°
24064, H0 Märklin C, Rail droit 6.43cm.	6.43	(127.19, 47.56, 30), 54.3° (132.42, 51.31, 30), 234.3°
24064, H0 Märklin C, Rail droit 6.43cm.	6.43	(132.42, 51.31, 30), 54.3° (137.64, 55.06, 30), 234.3°
24064, H0 Märklin C, Rail droit 6.43cm.	6.43	(137.64, 55.06, 30), 54.3° (142.86, 58.81, 30), 234.3°
24064, H0 Märklin C, Rail droit 6.43cm.	6.43	(167.66, 109.19, 30), 54.3° (172.88, 112.94, 30), 234.3°
24077, H0 Märklin C, Rail droit 7.75cm.	7.75	(114.22, 132.1, 37.23), 76.8° (121.77, 133.87, 37.5), 256.8°
24077, H0 Märklin C, Rail droit 7.75cm.	7.75	(115.18, 53.24, 30), 30° (119.06, 59.95, 30), 210°
24077, H0 Märklin C, Rail droit 7.75cm.	7.75	(117.89, 32.17, 30), 258.6° (110.29, 30.64, 30), 78.6°
24077, H0 Märklin C, Rail droit 7.75cm.	7.75	(215.76, 125.51, 30), 258.6° (208.16, 123.98, 30), 78.6°
24077, H0 Märklin C, Rail droit 7.75cm.	7.75	(217.34, 121.88, 30), 234.3° (211.05, 117.35, 30), 54.3°
24077, H0 Märklin C, Rail droit 7.75cm.	7.75	(219.56, 105.23, 30), 30° (223.44, 111.94, 30), 210°
24094, H0 Märklin C, Rail droit 9.42cm.	9.42	(111.6, 68.9, 30), 234.3° (103.95, 63.41, 30), 54.3°
24094, H0 Märklin C, Rail droit 9.42cm.	9.42	(167.66, 109.19, 30), 234.3° (160.01, 103.69, 30), 54.3°
24094, H0 Märklin C, Rail droit 9.42cm.	9.42	(199.85, 26.83, 23.06), 84.3° (209.22, 27.76, 23.24), 264.3°
24094, H0 Märklin C, Rail droit 9.42cm.	9.42	(200.62, 19.12, 23.14), 84.3° (209.99, 20.05, 23.32), 264.3°
24107, H0 Märklin C, Rail courbe rayon 36cm, angle 7.5°	4.71	(209.22, 27.76, 23.24), 84.3° (213.87, 28.54, 23.24), 256.8°
24107, H0 Märklin C, Rail courbe rayon 36cm, angle 7.5°	4.71	(248.91, 36.76, 24.59), 76.8°

		(253.42, 38.13, 24.76), 249.3°
24107, H0 Märklin C, Rail courbe rayon 36cm, angle 7.5°	4.71	(35.58, 94.86, 34.13), 211.8° (33.36, 90.71, 34.13), 24.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(286.91, 140.16, 29.29), 114.3° (301.33, 128.36, 28.59), 324.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(286.91, 140.16, 29.29), 294.3° (268.52, 143.17, 30), 84.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(293.2, 144.68, 30), 114.3° (307.62, 132.88, 29.29), 324.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(295.38, 55.3, 26.47), 54.3° (307.18, 69.72, 27.17), 204.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(30.35, 72.32, 33.43), 354.3° (33.36, 90.71, 34.13), 204.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(307.91, 110.92, 27.88), 354.3° (301.33, 128.36, 28.59), 144.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(310.19, 88.11, 27.88), 174.3° (307.18, 69.72, 27.17), 24.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(35.58, 94.86, 34.13), 31.8° (49.16, 107.62, 34.83), 241.8°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(38.64, 37.8, 32.73), 324.3° (32.06, 55.23, 33.43), 174.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(53.07, 26, 32.03), 114.3° (71.46, 22.99, 31.34), 264.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(53.07, 26, 32.03), 294.3° (38.64, 37.8, 32.73), 144.3°
24130, H0 Märklin C, Rail courbe rayon 36cm, angle 30°	18.85	(71.46, 22.99, 31.34), 84.3° (88.89, 29.57, 30.64), 234.3°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(125.54, 78.92, 30), 234.3° (111.6, 68.9, 30), 54.3°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(145.36, 83.62, 30), 234.3° (131.41, 73.6, 30), 54.3°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(181.04, 99.3, 40), 121.8° (195.63, 90.25, 40), 301.8°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(207.19, 91.56, 30), 234.3° (193.24, 81.54, 30), 54.3°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(22.64, 71.55, 33.18), 174.3° (24.35, 54.46, 33.18), 354.3°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(227.02, 96.28, 30), 234.3° (213.08, 86.26, 30), 54.3°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(232.62, 132.86, 30), 54.3° (246.56, 142.88, 30), 234.3°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(30.35, 72.32, 33.43), 174.3° (32.06, 55.23, 33.43), 354.3°
24172, H0 Märklin C, Rail droit 17.17cm.	17.17	(88.89, 29.57, 30.64), 54.3° (102.83, 39.59, 30), 234.3°

24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(145.41, 83.66, 30), 54.3° (160.7, 94.64, 30), 234.3°
24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(149.03, 119.14, 38.67), 121.8° (165.04, 109.22, 38.67), 301.8°
24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(153.23, 43.25, 30), 54.3° (168.52, 54.24, 30), 234.3°
24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(160.7, 94.64, 30), 54.3° (175.99, 105.63, 30), 234.3°
24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(175.99, 105.63, 30), 54.3° (191.28, 116.62, 30), 234.3°
24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(181.04, 99.3, 40), 301.8° (165.04, 109.22, 38.67), 121.8°
24188, H0 Märklin C, Rail droit 18.83cm.	18.83	(57.97, 32.03, 30), 48.3° (72.03, 44.55, 30), 228.3°
24194, H0 Märklin C, Rail de télécommande courbe rayon 36cm, angle 15°	9.42	(295.38, 55.3, 26.47), 234.3° (287.1, 50.86, 26.11), 69.3°
24194, H0 Märklin C, Rail de télécommande courbe rayon 36cm, angle 15°	9.42	(57.95, 110.94, 35.18), 256.8° (49.16, 107.62, 34.83), 61.8°
24207, H0 Märklin C, Rail courbe rayon 43.75cm, angle 7.5°	5.73	(215.64, 20.99, 23.35), 256.8° (209.99, 20.05, 23.32), 84.3°
24207, H0 Märklin C, Rail courbe rayon 43.75cm, angle 7.5°	5.73	(256.16, 30.88, 24.92), 249.3° (250.69, 29.21, 24.71), 76.8°
24207, H0 Märklin C, Rail courbe rayon 43.75cm, angle 7.5°	5.73	(28.99, 98.95, 33.97), 211.8° (26.3, 93.9, 33.97), 24.3°
24215, H0 Märklin C, Rail courbe rayon 43.75cm, angle 15°	11.45	(115.99, 124.55, 37.39), 76.8° (127.35, 125.69, 37.82), 271.8°
24215, H0 Märklin C, Rail courbe rayon 43.75cm, angle 15°	11.45	(225.53, 73.47, 40), 286.8° (215.12, 78.17, 40), 121.8°
24215, H0 Märklin C, Rail courbe rayon 43.75cm, angle 15°	11.45	(299.9, 49, 26.71), 234.3° (289.84, 43.61, 26.28), 69.3°
24215, H0 Märklin C, Rail courbe rayon 43.75cm, angle 15°	11.45	(56.18, 118.49, 35.17), 256.8° (45.5, 114.45, 34.77), 61.8°
24224, H0 Märklin C, Rail courbe rayon 43.75cm, angle 24.3°	18.56	(136.35, 35.89, 30), 78.6° (153.23, 43.25, 30), 234.3°
24224, H0 Märklin C, Rail courbe rayon 43.75cm, angle 24.3°	18.56	(189.7, 120.26, 30), 258.6° (172.82, 112.9, 30), 54.3°
24229, H0 Märklin C, Rail droit 22.93cm.	22.93	(108.57, 34.18, 30), 54.3° (127.19, 47.56, 30), 234.3°
24229, H0 Märklin C, Rail droit 22.93cm.	22.93	(195.63, 90.25, 40), 121.8° (215.12, 78.17, 40), 301.8°
24229, H0 Märklin C, Rail droit 22.93cm.	22.93	(310.19, 88.11, 27.88), 354.3° (307.91, 110.92, 27.88), 174.3°

24229, H0 Märklin C, Rail droit 22.93cm.	22.93	(317.9, 88.88, 28.43), 354.3° (315.63, 111.69, 28.43), 174.3°
24229, H0 Märklin C, Rail droit 22.93cm.	22.93	(70.43, 46.78, 30), 240.3° (50.51, 35.42, 30), 60.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(116.12, 62.61, 30), 234.3° (94.94, 54.61, 30), 84.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(149.03, 119.14, 38.67), 301.8° (127.35, 125.69, 37.82), 91.8°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(22.64, 71.55, 33.18), 354.3° (26.3, 93.9, 33.97), 204.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(225.53, 73.47, 40), 106.8° (248.17, 72.75, 40), 256.8°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(246.56, 142.88, 30), 54.3° (267.75, 150.88, 30), 264.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(246.89, 73.34, 40), 76.8° (266.85, 84.04, 40), 226.8°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(249.55, 157.82, 40), 106.8° (268.79, 145.88, 40), 316.8°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(249.55, 157.82, 40), 286.8° (226.91, 158.53, 40), 76.8°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(266.85, 84.04, 40), 46.8° (278.78, 103.29, 40), 196.8°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(268.79, 145.88, 40), 136.8° (279.5, 125.93, 40), 346.8°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(278.78, 103.29, 40), 16.8° (279.5, 125.93, 40), 166.8°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(307.62, 132.88, 29.29), 144.3° (315.63, 111.69, 28.43), 354.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(314.24, 66.53, 27.57), 204.3° (299.9, 49, 26.71), 54.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(314.24, 66.53, 27.57), 24.3° (317.9, 88.88, 28.43), 174.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(32.35, 33.28, 32.38), 324.3° (24.35, 54.46, 33.18), 174.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(45.5, 114.45, 34.77), 241.8° (28.99, 98.95, 33.97), 31.8°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(49.88, 18.93, 31.59), 114.3° (72.23, 15.27, 30.79), 264.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(49.88, 18.93, 31.59), 294.3° (32.35, 33.28, 32.38), 144.3°
24230, H0 Märklin C, Rail courbe rayon 43.75cm, angle 30°	22.91	(93.41, 23.28, 30), 234.3° (72.23, 15.27, 30.79), 84.3°
24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(114.22, 132.1, 37.23), 256.8° (91.23, 126.71, 36.41), 76.8°

24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(115.99, 124.55, 37.39), 256.8° (93, 119.16, 36.52), 76.8°
24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(140.83, 89.91, 30), 54.3° (160.01, 103.69, 30), 234.3°
24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(220.5, 114.61, 30), 234.3° (201.33, 100.83, 30), 54.3°
24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(46.83, 42.12, 30), 72.3° (69.32, 49.3, 30), 252.3°
24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(46.95, 64.84, 30), 108.3° (69.37, 57.43, 30), 288.3°
24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(68.77, 51.99, 30), 264.3° (45.27, 49.65, 30), 84.3°
24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(68.78, 54.74, 30), 276.3° (45.31, 57.33, 30), 96.3°
24236, H0 Märklin C, Rail droit 23.61cm.	23.61	(70.5, 59.93, 30), 300.3° (50.11, 71.85, 30), 120.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(134.77, 39.53, 30), 54.3° (164.01, 60.53, 30), 234.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(142.86, 58.81, 30), 54.3° (172.09, 79.82, 30), 234.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(152.58, 75.34, 30), 234.3° (123.34, 54.33, 30), 54.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(152.58, 75.34, 30), 54.3° (181.81, 96.35, 30), 234.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(156.81, 142.09, 38.75), 256.8° (121.77, 133.87, 37.5), 76.8°
24360, H0 Märklin C, Rail droit 36cm.	36	(168.55, 54.26, 30), 54.3° (197.79, 75.27, 30), 234.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(191.86, 150.31, 40), 256.8° (156.81, 142.09, 38.75), 76.8°
24360, H0 Märklin C, Rail droit 36cm.	36	(193.24, 81.54, 30), 234.3° (164.01, 60.53, 30), 54.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(201.33, 100.83, 30), 234.3° (172.09, 79.82, 30), 54.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(211.05, 117.35, 30), 234.3° (181.81, 96.35, 30), 54.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(226.91, 158.53, 40), 256.8° (191.86, 150.31, 40), 76.8°
24360, H0 Märklin C, Rail droit 36cm.	36	(227.02, 96.28, 30), 54.3° (256.26, 117.28, 30), 234.3°
24360, H0 Märklin C, Rail droit 36cm.	36	(248.91, 36.76, 24.59), 256.8° (213.87, 28.54, 23.24), 76.8°
24360, H0 Märklin C, Rail droit 36cm.	36	(250.69, 29.21, 24.71), 256.8° (215.64, 20.99, 23.35), 76.8°

24360, H0 Mrklin C, Rail droit 36cm.	36	(251.73, 123.58, 30), 234.3° (222.5, 102.57, 30), 54.3°
24360, H0 Mrklin C, Rail droit 36cm.	36	(256.16, 30.88, 24.92), 69.3° (289.84, 43.61, 26.28), 249.3°
24360, H0 Mrklin C, Rail droit 36cm.	36	(287.1, 50.86, 26.11), 249.3° (253.42, 38.13, 24.76), 69.3°
24360, H0 Mrklin C, Rail droit 36cm.	36	(57.95, 110.94, 35.18), 76.8° (93, 119.16, 36.52), 256.8°
24360, H0 Mrklin C, Rail droit 36cm.	36	(91.23, 126.71, 36.41), 256.8° (56.18, 118.49, 35.17), 76.8°
24611, H0 Mrklin C, Aiguillage gauche 18.83cm. (manuel)	37.39	(234.2, 129.23, 30), 78.6° (235.79, 125.6, 30), 54.3° (251.09, 136.58, 30), 234.3°
24612, H0 Mrklin C, Aiguillage droit 18.83cm. (manuel)	37.39	(117.89, 32.17, 30), 78.6° (134.77, 39.53, 30), 234.3° (136.35, 35.89, 30), 258.6°
24612, H0 Mrklin C, Aiguillage droit 18.83cm. (manuel)	37.39	(125.54, 78.92, 30), 54.3° (128.47, 76.26, 30), 30° (140.83, 89.91, 30), 234.3°
24612, H0 Mrklin C, Aiguillage droit 18.83cm. (manuel)	37.39	(189.7, 120.26, 30), 78.6° (208.16, 123.98, 30), 258.6° (191.28, 116.62, 30), 54.3°
24612, H0 Mrklin C, Aiguillage droit 18.83cm. (manuel)	37.39	(210.15, 88.92, 30), 210° (213.08, 86.26, 30), 234.3° (197.79, 75.27, 30), 54.3°
24612, H0 Mrklin C, Aiguillage droit 18.83cm. (manuel)	37.39	(220.5, 114.61, 30), 54.3° (235.79, 125.6, 30), 234.3° (223.44, 111.94, 30), 30°
24624, H0 Mrklin C, Traverse-jonction double 18.83cm. (lectrique)	74.75	(116.12, 62.61, 30), 54.3° (128.47, 76.26, 30), 210° (131.41, 73.6, 30), 234.3° (119.06, 59.95, 30), 30°
24624, H0 Mrklin C, Traverse-jonction double 18.83cm. (lectrique)	74.75	(118.12, 50.58, 30), 234.3° (105.77, 36.93, 30), 30° (115.18, 53.24, 30), 210° (102.83, 39.59, 30), 54.3°
24624, H0 Mrklin C, Traverse-jonction double 18.83cm. (lectrique)	74.75	(210.15, 88.92, 30), 30° (219.56, 105.23, 30), 210° (222.5, 102.57, 30), 234.3° (207.21, 91.58, 30), 54.3°
24624, H0 Mrklin C, Traverse-jonction double 18.83cm.	74.75	(232.63, 132.86, 30), 234.3°

(Ã©lectrique)

		(217.34, 121.88, 30), 54.3°
		(215.76, 125.51, 30), 78.6°
		(234.22, 129.23, 30), 258.6°
24630, H0 MÃ¤rklin C, Aiguillage triple 18.83cm. (manuel)	55.94	(93.41, 23.28, 30), 54.3°
		(108.7, 34.27, 30), 234.3°
		(110.29, 30.64, 30), 258.6°
		(105.77, 36.93, 30), 210°
24671, H0 MÃ¤rklin C, Aiguillage enroulÃ© gauche 30° (manuel)	45.45	(251.09, 136.58, 30), 54.3°
		(268.52, 143.17, 30), 264.3°
		(274.81, 147.69, 30), 264.3°
24672, H0 MÃ¤rklin C, Aiguillage enroulÃ© droit 30° (manuel)	45.45	(274.81, 147.69, 30), 84.3°
		(293.2, 144.68, 30), 294.3°
		(267.75, 150.88, 30), 84.3°
74861, H0 MÃ¤rklin C, Plaque tournante diamÃ¨tre 38.2cm.	26.3	(81.92, 66.45, 30), 180.3°
		(79.05, 40.45, 30), 12.3°
		(79.18, 66.18, 30), 168.3°
		(93.27, 59.81, 30), 240.3°
		(94.38, 57.3, 30), 252.3°
		(68.78, 54.74, 30), 96.3°
		(72.12, 62.15, 30), 132.3°
		(74.18, 63.98, 30), 144.3°
		(76.44, 41.31, 30), 24.3°
		(91.67, 62.05, 30), 228.3°
		(89.52, 42.62, 30), 324.3°
		(94.94, 54.61, 30), 264.3°
		(87.14, 41.26, 30), 336.3°
		(94.34, 49.17, 30), 288.3°
		(68.77, 51.99, 30), 84.3°
		(70.43, 46.78, 30), 60.3°
		(87.26, 65.28, 30), 204.3°
		(72.03, 44.55, 30), 48.3°
		(74.07, 42.7, 30), 36.3°
		(89.64, 63.9, 30), 216.3°
		(76.57, 65.34, 30), 156.3°
		(81.78, 40.15, 30), 0.3°
		(69.32, 49.3, 30), 72.3°
		(70.5, 59.93, 30), 120.3°
		(84.52, 40.42, 30), 348.3°
		(94.92, 51.86, 30), 276.3°
		(93.2, 46.66, 30), 300.3°
		(69.37, 57.43, 30), 108.3°
		(91.58, 44.45, 30), 312.3°
		(84.65, 66.15, 30), 192.3°